



# UNITED STATES PATENT AND TRADEMARK OFFICE

*mn*  
UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/809,749	03/25/2004	Brian Robert Prasky	POU920030065US1	7321
33558 7590 04/30/2007 INTERNATIONAL BUSINESS MACHINES CORPORATION IPLAW DEPARTMENT 2455 SOUTH ROAD - MS P386 POUGHKEEPSIE, NY 12601			EXAMINER FENNEMA, ROBERT E	
			ART UNIT 2183	PAPER NUMBER
			MAIL DATE 04/30/2007	DELIVERY MODE PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/809,749	<b>Applicant(s)</b> PRASKY ET AL.	
	<b>Examiner</b> Robert E. Fennema	<b>Art Unit</b> 2183	

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --**

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 20 February 2007.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-8, 10-18, 20-28, and 30 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-8, 10-18, 20-28, and 30 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                       | 5) <input type="checkbox"/> Notice of Informal Patent Application                       |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

### **DETAILED ACTION**

1. Claims 1-8, 10-18, 20-28, and 30 have been considered. Claims 9, 19, and 29 have been cancelled as per Applicant's request. Claims 1-8, 10-18, 20-28, and 30 amended as per Applicant's request.

### ***Claim Rejections - 35 USC § 103***

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1-8, 10-18, 20-28, and 30 are rejected under 35 U.S.C. 103(a) as being unpatentable over Check et al. (USPN 6,125,444, herein Check), in view of Patterson et al. (herein Patterson).

4. As per Claim 1, Check teaches: A method operating a computer having a pipelined processor (Figure 1), comprising setting a bit within an instruction text field of a branch (Column 2, Lines 33-40 and Column 4, Lines 24-27), but fails to teach:

Said bit preventing the branch from being placed into a branch history buffer and a branch target buffer to thereby prevent the branch from being predicted and to make the branch only detectable as the time frame of decode.

While Check teaches using an instruction field of an instruction to disable a branch history table, he does not teach that doing so would prevent the branch from

Art Unit: 2183

being placed in a branch target buffer. However, Patterson teaches that in order to further increase the performance of branches, a "branch target buffer" is often used, so that the target address can be calculated in the fetch stage, instead of the decode stage (Pages 271-275). As the branch target buffer relies on having a prediction in order to determine the correct address, as seen by Figure 4.23 on Page 275, if no prediction was able to be generated, because of a BHT being disabled, then it would have been obvious to one of ordinary skill in the art to also not use the BTB, as it would not have the data it needs to be made use of. In addition, as can be seen by Column 2, Lines 28-31, sensitive system operations require cache control, so for the same reason Check disables the BHT, the BTB would need to not be written to as well. Given the advantage of a BTB as disclosed by Patterson, and the need to implement it in the system as disclosed by Check, one of ordinary skill in the art at the time the invention was made would have been motivated to include a BTB, and also to disable its use when the BHT was disabled.

5. As per Claim 2, Check teaches: The method as defined in claim 1 comprising predicting the direction and target of a branch prior to decode (Figure 1).

6. As per Claim 3, Check teaches: A method as defined in claim 2 comprising predicting the direction and target of a branch prior to decode through a branch prediction array (Figure 1, also see Column 4, Lines 32-49).

7. As per Claim 4, Check teaches: A method as defined in claim 1 comprising tracking the branch from the beginning of the pipe, decode, until the time frame that the given instruction is to be written into a branch prediction array (It is inherent that instructions in a pipeline are kept track of, they must exist until they are removed).
8. As per Claim 5, Check teaches: A method as defined in claim 1 comprising denoting the instruction text field as a non-writable branch into the BTB (Column 2, Lines 36-40).
9. As per Claim 6, Check teaches: The method as defined in claim 5 comprising denoting the instruction text field in the system area as a non-writable branch into the BTB in system whereby the branch is blocked from being written to the BTB (Column 2, Lines 28-31).
10. As per Claim 7, Check teaches: The method as defined in claim 6 comprising predicting the branch via aliasing (Column 4, Lines 12-15).
11. As per Claim 8, Patterson teaches: The method as defined in claim 1 wherein machine state altering code lies within an address range spanned by branch tag bits of the branch target buffer (All instructions can alter machine state, so if any instruction is in the BTB, machine state altering code lies within an address range spanning by tag

bits in the BTB).

12. As per Claim 10, Check teaches: The method as defined in claim 8 comprising denoting state altering code in the system area by a state bit within the BTB/BHT such that aliasing of branches is prevented within the system area (Column 2, Lines 28-40).

13. As per Claim 11, Check teaches: A computer system having input, output, storage, and a pipelined processor (Figure 1), said processor adapted and configured to set a bit within an instruction text field of a branch (Column 2, Lines 33-40 and Column 4, Lines 24-27), but fails to teach: said bit preventing the branch from being placed into a branch history table and a branch target buffer to thereby prevent the branch from being predicted and make the branch only detectable as the time frame of decode.

While Check teaches using an instruction field of an instruction to disable a branch history table, he does not teach that doing so would prevent the branch from being placed in a branch target buffer. However, Patterson teaches that in order to further increase the performance of branches, a "branch target buffer" is often used, so that the target address can be calculated in the fetch stage, instead of the decode stage (Pages 271-275). As the branch target buffer relies on having a prediction in order to determine the correct address, as seen by Figure 4.23 on Page 275, if no prediction was able to be generated, because of a BHT being disabled, then it would have been obvious to one of ordinary skill in the art to also not use the BTB, as it would not have the data it needs to be made use of. In addition, as can be seen by Column 2, Lines 28-

Art Unit: 2183

31, sensitive system operations require cache control, so for the same reason Check disables the BHT, the BTB would need to not be written to as well. Given the advantage of a BTB as disclosed by Patterson, and the need to implement it in the system as disclosed by Check, one of ordinary skill in the art at the time the invention was made would have been motivated to include a BTB, and also to disable its use when the BHT was disabled.

14. As per Claim 12, Check teaches: The computer system as defined in claim 11, said computer system adapted and configured to predict the direction and target of a branch prior to decode (Figure 1).

15. As per Claim 13, Check teaches: The computer system as defined in claim 12 said computer system adapted and configured to predict the direction and target of a branch prior to decode through a branch prediction array (Figure 1, also see Column 4, Lines 32-49).

16. As per Claim 14, Check teaches: The computer system as defined in claim 11, said computer system adapted and configured to track the branch from the beginning of the pipe, decode, until the time frame that the given instruction is to be written into a branch prediction array (It is inherent that instructions in a pipeline are kept track of, they must exist until they are removed).

Art Unit: 2183

17. As per Claim 15, Check teaches: The computer system as defined in claim 11 said computer system adapted and configured to denote the instruction text field as a non-writable branch into the BTB (Column 2, Lines 36-40).

18. As per Claim 16, Check teaches: The computer system as defined in claim 15 said computer system adapted and configured to denote the instruction field in the system area as a non-writable branch into the BTB in system whereby the branch is blocked (Column 2, Lines 28-31).

19. As per Claim 17, Check teaches: The computer system as defined in claim 16 said computer system adapted and configured to denote the instruction text field in the non-system area, and to predict the branch may be predicted via aliasing (Column 4, Lines 12-15).

20. As per Claim 18, Patterson teaches: The computer system as defined in claim 11 wherein machine state altering code lies within an address range spanned by branch tag bits of the branch target buffer (All instructions can alter machine state, so if any instruction is in the BTB, machine state altering code lies within an address range spanning by tag bits in the BTB).

21. As per Claim 20, Check teaches: The computer system as defined in claim 18 said computer system is adapted and configured to denote state altering code in the



system area by a state bit within the BTB/BHT such that aliasing of branches is prevented within the system area is prevented (Column 2, Lines 28-40).

22. As per Claim 21, Check teaches: A program product comprising a storage medium having computer readable program code, said program code for use in a computer system having input, output, storage, and a pipelined processor (Figure 1), said program code adapting and configuring the computer system to set a bit within an instruction text field of a branch (Column 2, Lines 33-40 and Column 4, Lines 24-27), but fails to teach:

Said bit preventing the branch from being placed into a branch history table and a branch target buffer to thereby prevent the branch from being predicted and make the branch only detectable as the time frame of decode.

While Check teaches using an instruction field of an instruction to disable a branch history table, he does not teach that doing so would prevent the branch from being placed in a branch target buffer. However, Patterson teaches that in order to further increase the performance of branches, a "branch target buffer" is often used, so that the target address can be calculated in the fetch stage, instead of the decode stage (Pages 271-275). As the branch target buffer relies on having a prediction in order to determine the correct address, as seen by Figure 4.23 on Page 275, if no prediction was able to be generated, because of a BHT being disabled, then it would have been obvious to one of ordinary skill in the art to also not use the BTB, as it would not have the data it needs to be made use of. In addition, as can be seen by Column 2, Lines 28-

31, sensitive system operations require cache control, so for the same reason Check disables the BHT, the BTB would need to not be written to as well. Given the advantage of a BTB as disclosed by Patterson, and the need to implement it in the system as disclosed by Check, one of ordinary skill in the art at the time the invention was made would have been motivated to include a BTB, and also to disable its use when the BHT was disabled.

23. As per Claim 22, Check teaches: The program product as defined in claim 21, said computer system adapted and configured to predict the direction and target of a branch prior to decode (Figure 1).

24. As per Claim 23, Check teaches: The program product as defined in claim 22 said computer system adapted and configured to predict the direction and target of a branch prior to decode through a branch prediction array (Figure 1, also see Column 4, Lines 32-49).

25. As per Claim 24, Check teaches: The program product as defined in claim 21, said computer system adapted and configured to track the branch from the beginning of the pipe, decode, until the time frame that the given instruction is to be written into a branch prediction array (It is inherent that instructions in a pipeline are kept track of, they must exist until they are removed).

26. As per Claim 25, Check teaches: The program product as defined in claim 21 said computer system adapted and configured to denote the instruction text field as a non-writable branch into the BTB (Column 2, Lines 36-40).

27. As per Claim 26, Check teaches: The program product as defined in claim 25 said computer system adapted and configured to denote the instruction text field in the system area as a non-writable branch into the BTB in system whereby the branch is blocked from being written to the BTB (Column 2, Lines 28-31).

28. As per Claim 27, Check teaches: The program product as defined in claim 26 said computer system adapted and configured to denote the instruction text field in the non-system area, and predict the branch via aliasing (Column 4, Lines 12-15).

29. As per Claim 28, Patterson teaches: The program product as defined in claim 21 wherein machine state altering code lies within an address range spanned by branch tag bits of the branch target buffer (All instructions can alter machine state, so if any instruction is in the BTB, machine state altering code lies within an address range spanning by tag bits in the BTB).

30. As per Claim 30, Check teaches: The program product as defined in claim 28 said computer system is adapted and configured to denote state altering code in the

system area by a state bit within the BTB/BHT such that aliasing of branches is prevented within the system area (Column 2, Lines 28-40).

### ***Response to Arguments***

31. In response to Applicant's amendments, Examiner has withdrawn the Claim objections and the 101 rejections from the previous action.

32. Applicant's arguments filed 2/20/2007 have been fully considered but they are not persuasive. Applicant has made the argument on Page 14 that the combination of Check and Patterson fail to teach the limitation of preventing the branch from being placed into a branch history buffer and a branch target buffer, by asserting that the combination of Patterson into Check to make use of the BTB, and to then disable its usage is an improper hindsight reconstruction (For both claim 1 and the other similar independent claims). In response to applicant's argument that the examiner's conclusion of obviousness is based upon improper hindsight reasoning, it must be recognized that any judgment on obviousness is in a sense necessarily a reconstruction based upon hindsight reasoning. But so long as it takes into account only knowledge which was within the level of ordinary skill at the time the claimed invention was made, and does not include knowledge gleaned only from the applicant's disclosure, such a reconstruction is proper. See *In re McLaughlin*, 443 F.2d 1392, 170 USPQ 209 (CCPA 1971).

Furthermore, Examiner believes that the combination of Patterson's teaching of a BTB into Check's system is proper, due to a BTB being a well known device in the art of branching, as evidenced by it being taught in a very common college-level textbook, and this, combined with the advantages disclosed for the BTB, would have motivated one of ordinary skill in the art to implement the BTB into Check's invention.

Furthermore, Examiner believes that the conclusion which Examiner came to of the BTB being disabled along with the BHT is valid, as Check teaches disabling the branch prediction hardware (the history table) when a bit is set, and Examiner believes that one of ordinary skill in the art would have been reasonably motivated by these teachings to further disable other branch prediction hardware that works in conjunction with the BHT, due to the similarities between the pieces of hardware (The BTB predicts what the target branch address is, and if one is trying to eliminate pre-decode predictions for a branch, the BTB would clearly need to be disabled).

### ***Conclusion***

33. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any

Art Unit: 2183

extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Robert E. Fennema whose telephone number is (571) 272-2748. The examiner can normally be reached on Monday-Friday, 8:45-6:15.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eddie Chan can be reached on (571) 272-4162. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Robert E Fennema  
Examiner  
Art Unit 2183

RF

  
EDDIE CHAN  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2100